

Unique pools




Index

Choosing the type of pool	04
The pool's design	14
Total harmony	18
Rosa Gres Colors	20
Serena	22
Bohème	26
Garden	30
Mistery	32
Tao	38
Vintage	42
Lovely	46
Natural 2.0	50
Mosaic	52
Aqua	53
System S9 Prestige	54
Installation	56
Technical characteristics	59



Couverture: CASA PRIVADA. ARQ: JOSEP AURELL / **Mistery White**




A unique Rosa Gres pool is an inspiring place, your own private paradise. It is the reflection of a lifestyle, a personality. **Rosa Gres** porcelain stoneware is so practical it allows you to personalize the design, the colors, the shape and every last detail of your pool, be it large or small, indoors or outdoors. **A different pool is a Rosa Gres pool, a dream come true.**

Why to choose a porcelain stoneware pool




Mystery White




DESIGN A UNIQUE AND PERSONAL POOL

With Rosa Gres' more than 30 colors you can recreate exclusive styles: classic, cosmopolitan, Ibizan, Provençal, minimalist or bohemian. Imagine your own.




IMPROVE THE ESTHETIC OF YOUR OUTDOOR SPACE AND TERRACE

Thanks to the broad range of Rosa Gres special pieces it is very easy to harmonize the pool with the spaces that surround it, both indoors and outdoors.



PORCELAIN STONEWARE IS HIGHLY RESISTANT

It is not affected by solar radiations, contact with water, chemical products or climate shifts. Its color doesn't fade and it doesn't break.



ANTI-SLIP EFFICIENCY THAT INCREASES SAFETY

The Rosa Gres anti-slips guarantee the highest level of safety in the beach part of the pool, its edge and interior. They are very easy to clean.



EFFICACITÉ ANTIDÉRAPANTE POUR UNE SÉCURITÉ ACCRUE

Les antidérapants Rosa Gres fournissent une sécurité maximale, aussi bien en plage qu'en bordure et bassin de piscine.



FOR A LIFETIME

Because a pool is a dream and if it is made of Rosa Gres porcelain stoneware it will remain unaltered and beautiful year after year.




Traditional pool

The water is approximately **20 cm** beneath the edge of the pool. They are practical and easy to maintain.

They are normally built with the **Skimmer System**. **Skimmers** are the openings located under the edge in order to filter the water.

Rosa Gres presents two designs for the traditional edge, the **SOLUTION "S"** and the **SOLUTION "L"**.


S SOLUTION



S31
31 x 31 x 2,6

S62
62,6 x 31 x 2,6

L SOLUTION




L24
24,4 x 31,7 x 3,8

L31
31 x 31,7 x 3,8


L62
62,6 x 31,7 x 3,8

L98
97,8 x 31,7 x 3,8

LM2
119 x 31,7 x 3,8




Mistery Grey



Mistery Sand

Overflow pool

The water is at the same level as the edge of the pool, creating an attractive lake effect. They are typical in Hotels and Spas for their beauty and hygienic qualities. At Rosa Gres we have developed our very own solution for building them in private residencies with all guarantees.





Advantages of choosing an overflow pool

CLEANER WATER

Overflow pools constantly and completely renew the water in a very short time. As a result, the water remains permanently crystal-clear without an effort.

MORE SAFETY

The water layer is 100% visible from all points of view. Not having any blind spots increases your visual control over the space.

MORE ESTHETIC

The overflow system creates a spectacular lake effect that enhances the beauty of the pool and its surroundings.

MORE COMFORT

The soft and continuous overflow softens the sound of the water lapping against the walls, thus increasing the sense of well-being and relax.

Serena Griggio

Exclusive grids for overflow pools

We present two innovative porcelain stoneware grid models that will improve both the pool's esthetic and its water drainage capacity.



245 CM

Bohème Vanille

Compact Grid




245 CM

647

New!


THE INVISIBLE GRID

It consists in one unique piece created without adhesives. Once in place it integrates completely with the edge of the pool. The water is drained through a system of lateral orifices that are barely visible and have optimum capacity.



245 CM
24,5 x 49,8 x 2,2

Allows a correct water runoff.



Flex Grid



PERFECT CURVES

With it we can create curves with a radius of more than 75 cm that blend perfectly with the surroundings. Its trapezoid-shaped structure manages to avoid the water bridge even when it is badly placed. It makes repositioning loose pieces easier.





245 FL
24,5 x 49,5 x 2,2

Infinity Pool

It recreates the feeling of a wonderful endless horizon. In **Infinity** pools the water pours into a waterway located on a level below the pool's edge. The **Infinity** effect can be applied to one or various sides of the pool.



Mistry Blue Stone



New trends


Porcelain stoneware opens the door to designing pools with a unique style. Ideas such as covering the walls of the bottom of the pool with porcelain stoneware improve the esthetic, make maintenance easier and speed up the construction. The time has come to create **different pools**.



Mistry Blue Stone

Adaptation to space
Porcelain stoneware is the ideal material for carrying out multiple designs.

Less depth
More safety, more comfort and less water consumption.





Tao Beige



Small pools

In small spaces, fresh water and some imagination always succeed.


Straight lines

Elegant and modern esthetic. Fewer difficulties during construction.

Tao Beige



Mistery Grey



Explore the colors

More than 30 Rosa Gres colors for creating personalized designs and combinations.

Projecta Onix + Tao Brown + Mistery Blue Stone

Ideas for creating a unique experience


Include platforms, water beds, stairs or spa areas in the pool design; this is the secret to feeling comfort and pure relax in your personalized space.



Mistry White + Mistry Grey + Lovely Intense

Stairs

A comfortable access makes it much easier to enjoy the pool.



Benches

A good resource for using your pool's sense of well-being to its full potential.





Tao Silver



Waterfalls
A touch of glamour and the pleasant murmur of pouring water

Lovely Smoke



Vintage Bronze + Mistery Blue Stone





Spa Area
A pool is the perfect space in which to relax and disconnect.

Tao Grey

Coordinate the pool-s style with the whole house

Rosa Gres produces a broad range of formats and special pieces that help design personalized projects with a high level of esthetic harmony. Furthermore, the minimum amount of maintenance required by porcelain stoneware makes it highly practical.





Lovely Smoke

Serena



Anti-slip



Serena Bianco



Serena Ocre



Serena Griggio



Serena Nero



Serena Mix

Bohème



Liso / Smooth & Anti-slip



Bohème Vanille



Bohème Brune



Bohème Glacé



Bohème Nuit

Garden



Anti-slip



Garden Rojo



Garden Blanco



Garden Moka

Mistery



Liso / Smooth & Anti-slip



Mistery White



Mistery Sand



Mistery Grey



Mistery Blue Stone

Tao



Liso / Smooth & Anti-slip



Tao Beige



Tao Brown



Tao Silver



Tao Grey

Vintage



Liso / Smooth & Anti-slip



Vintage Bone



Vintage Land



Vintage Brick



Vintage Bronze

Lovely



Liso / Smooth & Anti-slip



Lovely Snow



Lovely Soft



Lovely Dolce



Lovely Smoke



Lovely Vital



Lovely Intense



Lovely Dark

Natural 2.0



Anti-slip



Natural 2.0 Palma



Natural 2.0 Hierro



serena bianco



serena ocre



serena griggio




serena nero



serena mix



Serena Ocre + Serena Mix



serena bianco



serena ocra



serena griggio




serena nero



serena mix

serena

COLLECTIONS



Serena Griggio



serena bianco



serena ocra



serena griggio




serena nero



serena mix



Serena Ocra




serena bianco

0




serena ocra

46




serena grigio

8



serena nero

9



serena mix

Only available in 31 x 62,6 x 0,9

9

anti-slip

UNE ENV 12633	DIN 51097	XP P-05-010
CLASE 2 + 3	CLASE B + C	PN18 + PN24
DIN 51130	XP P-05-010	
R 10	PC 10	



48,8 x 48,8 x 1
19" x 19" x 3/8"



48,8 x 48,8 x 1,8
19" x 19" x 3/4"



31 x 62,6 x 0,9
12" x 24" x 3/8"



31 x 31 x 0,9
12" x 12" x 3/8"



L31 anti-slip *
31 x 31,7 x 3,8




L62 anti-slip
62,6 x 31,7 x 3,8



L98 anti-slip *
97,8 x 31,7 x 3,8



LM2 anti-slip *
119 x 31,7 x 3,8



DL1 anti-slip
31,7 x 31,7 x 3,8



E62 anti-slip
62,6 x 62,6 x 3,8



S31 anti-slip
31 x 31 x 2,6



S62 anti-slip
62,6 x 31 x 2,6



S13 anti-slip
46 x 46 x 2,6



SE3 anti-slip
31 x 31 x 2,6



647 anti-slip
62,6 x 31 x 2,6



664 anti-slip
62,6 x 62,6 x 2,6



665 anti-slip
62,6 x 62,6 x 2,6

FLEX GRID



245 FL anti-slip
24,5 x 49,5 x 2,2



245 EF anti-slip
26,6 x 26,6 x 2,2

COMPACT GRID



245 CM anti-slip
24,5 x 49,8 x 2,2



245 EC anti-slip
49,8 x 49,8 x 2,2



Z62 anti-slip
62,6 x 7



L31 anti-slip *
31 x 31,7 x 3,8



L62 anti-slip
62,6 x 31,7 x 3,8



L98 anti-slip *
97,8 x 31,7 x 3,8



LM2 anti-slip *
119 x 31,7 x 3,8



DL1 anti-slip
31,7 x 31,7 x 3,8



ZLI anti-slip
36,5 x 30 x 7



ZLD anti-slip
36,5 x 30 x 7



367 anti-slip
31 x 31 x 2,4



368 anti-slip
31 x 31 x 2,4

121LG anti-slip
12,5 x 49,8 x 2,2



CRA C1
13 x 50 x 7,5



114 anti-slip
4 x 4



116 anti-slip
4 x 4



115 anti-slip
4 x 4



117 anti-slip
4 x 4



183 anti-slip
31 x 4 x 4



188 anti-slip
31 x 4 x 4



147 anti-slip
31 x 4 x 4

Trim piece

Ref Number of the Fixcer joint color recommended

* Not available in color Mix



bohème vanille



bohème brune



bohème glacé



bohème nuit



Bohème Vanille





bohème vanille



bohème brune



bohème glacé



bohème nuit



Bohème Brune




bohème vanille

46




bohème brune

48



bohème glacé

9



bohème nuit

10

liso / smooth

UNE ENV 12633	DIN 51130	XP P-05-010
CLASE 1	R 9	PC 6



L31 anti-slip
31 x 31,7 x 3,8



L62 anti-slip
62,6 x 31,7 x 3,8



L98 anti-slip
97,8 x 31,7 x 3,8



LM2 anti-slip
119 x 31,7 x 3,8



DL1 anti-slip
31,7 x 31,7 x 3,8



E62 anti-slip
62,6 x 62,6 x 3,8



S31 anti-slip
31 x 31 x 2,6



S62 anti-slip
62,6 x 31 x 2,6



S13 anti-slip
46 x 46 x 2,6



SE3 anti-slip
31 x 31 x 2,6

48,8 x 48,8 x 1
19" x 19" x 3/8"



31 x 62,6 x 0,9
12" x 24" x 3/8"

anti-slip

UNE ENV 12633	DIN 51097	XP P-05-010
CLASE 2 + 3	CLASE B + C	PN18 + PN24
DIN 51130	XP P-05-010	
R 10	PC 10	



48,8 x 48,8 x 1
19" x 19" x 3/8"



31 x 62,6 x 0,9
12" x 24" x 3/8"



31 x 31 x 0,9
12" x 12" x 3/8"



647 anti-slip
62,6 x 31 x 2,6



664 anti-slip
62,6 x 62,6 x 2,6



665 anti-slip
62,6 x 62,6 x 2,6

FLEX GRID



245 FL anti-slip
24,5 x 49,5 x 2,2



245 EF anti-slip
26,6 x 26,6 x 2,2

COMPACT GRID



245 CM anti-slip
24,5 x 49,8 x 2,2



245 EC anti-slip
49,8 x 49,8 x 2,2



Z62 liso / smooth
62,6 x 7



L31 anti-slip
31 x 31,7 x 3,8



L62 anti-slip
62,6 x 31,7 x 3,8



L98 anti-slip
97,8 x 31,7 x 3,8



LM2 anti-slip
119 x 31,7 x 3,8



DL1 anti-slip
31,7 x 31,7 x 3,8



ZLI liso / smooth
36,5 x 30 x 7




ZLD liso / smooth
36,5 x 30 x 7



367 anti-slip
31 x 31 x 2,4



368 anti-slip
31 x 31 x 2,4



121LG anti-slip
12,5 x 49,8 x 2,2



CRA C1
13 x 50 x 7,5



114 liso / smooth
4 x 4



116 liso / smooth
4 x 4



115 liso / smooth
4 x 4



117 liso / smooth
4 x 4



183 liso / smooth
31 x 4 x 4



188 liso / smooth
31 x 4 x 4



147 liso / smooth
31 x 4 x 4

Trim piece

Ref Number of the Fixcer joint color recommended



garden rojo



garden blanco




garden moka



Garden Blanco


GARDEN COLORS



garden rojo



garden blanco



garden moka

FORMATS

anti-slip

UNE ENV 12633	DIN 51097	XP P-05-010
CLASE 2 + 3	CLASE B + C	PN18 + PN24
DIN 51130	XP P-05-010	
R 10	PC 10	



24,4 x 24,4 x 1
10" x 10" x 3/8"



11,9 x 24,4 x 1
5" x 10" x 3/8"

TRADITIONAL POOL



L24 anti-slip
24,4 x 31,7 x 3,8



E24 anti-slip
31,7 x 31,7 x 3,8



DL1 anti-slip
31,7 x 31,7 x 3,8

DECK LEVEL POOL



347 anti-slip
31 x 31 x 2,6



364 anti-slip
31 x 31 x 2,6



365 anti-slip
31 x 31 x 2,6

FLEX GRID



245 FL anti-slip
24,5 x 49,5 x 2,2



245 EF anti-slip
26,6 x 26,6 x 2,2

COMPACT GRID



245 CM anti-slip
24,5 x 49,8 x 2,2



245 EC anti-slip
49,8 x 49,8 x 2,2

TERRACE & STAIRS



Z24 anti-slip
24,4 x 7



L24 anti-slip
24,4 x 31,7 x 3,8



169 anti-slip
24,4 x 12 x 5



RDE anti-slip
11,9 x 16,26 x 8,13



DL1 anti-slip
31,7 x 31,7 x 3,8



ZLI anti-slip
36,5 x 30 x 7



ZLD anti-slip
36,5 x 30 x 7

WATERWAYS

121LG anti-slip
12,5 x 24,4 x 2,2



CRA C1
13 x 50 x 7,5

Ref Number of the Fixcer joint color recommended



mystery white




mystery sand



mystery grey



mystery blue stone



Mystery White



mystery white



mystery sand





mystery grey



mystery blue stone

mystery

COLLECTIONS



Mystery White



mystery white



mystery sand



mystery grey



mystery blue stone



Mystery Sand





mystery white



mystery sand



mystery grey



mystery blue stone



Mystery Blue Stone



mistery white




mistery sand



mistery grey



mistery blue stone



Mistery Blue Stone



mystery white

46




mystery sand

48



mystery grey

8



mystery blue stone

9

liso / smooth

UNE ENV 12633	DIN 51130	XP P-05-010
CLASE 1	R9	PC6



L31 anti-slip
31 x 31,7 x 3,8

48,8 x 79,2 x 1
19" x 31" x 3/8"



L62 anti-slip
62,6 x 31,7 x 3,8

31 x 62,6 x 0,9
12" x 24" x 3/8"

anti-slip

UNE ENV 12633	DIN 51097	XP P-05-010
CLASE 2+3	CLASE B+C	PN18 +PN24
DIN 51130	XP P-05-010	
R10	PC10	



DL1 anti-slip
31,7 x 31,7 x 3,8

48,8 x 79,2 x 1
19" x 31" x 3/8"



E62 anti-slip
62,6 x 62,6 x 3,8


31 x 62,6 x 0,9
12" x 24" x 3/8"



S31 anti-slip
31 x 31 x 2,6

31 x 31 x 0,9
12" x 12" x 3/8"

SE3 anti-slip
31 x 31 x 2,6



647 anti-slip
62,6 x 31 x 2,6



664 anti-slip
62,6 x 62,6 x 2,6



665 anti-slip
62,6 x 62,6 x 2,6

FLEX GRID



245 FL anti-slip
24,5 x 49,5 x 2,2



245 EF anti-slip
26,6 x 26,6 x 2,2

COMPACT GRID



245 CM anti-slip
24,5 x 49,8 x 2,2



245 EC anti-slip
49,8 x 49,8 x 2,2



Z62 liso / smooth
62,6 x 7



L31 anti-slip
31 x 31,7 x 3,8



L62 anti-slip
62,6 x 31,7 x 3,8



LM2 anti-slip
119 x 31,7 x 3,8



DL1 anti-slip
31,7 x 31,7 x 3,8



ZLI liso / smooth
36,5 x 30 x 7



ZLD liso / smooth
36,5 x 30 x 7



367 anti-slip
31 x 31 x 2,4



368 anti-slip
31 x 31 x 2,4

121LG anti-slip
12,5 x 49,8 x 2,2



CRA C1
13 x 50 x 7,5



114 liso / smooth
4 x 4



116 liso / smooth
4 x 4



115 liso / smooth
4 x 4



117 liso / smooth
4 x 4



183 liso / smooth
31 x 4 x 4



188 liso / smooth
31 x 4 x 4



147 liso / smooth
31 x 4 x 4

Trim piece

Ref Number of the Fixcer joint color recommended



tao beige



tao brown



tao silver



tao grey





tao beige



tao brown




tao silver



tao grey

tao

COLLECTIONS



Tao Brown + Projecta Onix + Mistery Blue Stone



tao beige

tao brown

tao silver

tao grey



Tao Grey




TAO COLORS




tao beige

46




tao brown

5



tao silver

9



tao grey

10

FORMATS

liso / smooth

UNE ENV 12633	DIN 51130	XP P-05-010
CLASE 1	R 9	PC 6



48,8 x 79,2 x 1
19" x 31" x 3/8"



31 x 62,6 x 0,9
12" x 24" x 3/8"

anti-slip

UNE ENV 12633	DIN 51097	XP P-05-010
CLASE 2+3	CLASE B+C	PN18+PN24
DIN 51130	XP P-05-010	
R 10	PC 10	



48,8 x 79,2 x 1
19" x 31" x 3/8"



31 x 62,6 x 0,9
12" x 24" x 3/8"




31 x 31 x 0,9
12" x 12" x 3/8"

TRADITIONAL POOL



L31 anti-slip
31 x 31,7 x 3,8



L62 anti-slip
62,6 x 31,7 x 3,8



DL1 anti-slip
31,7 x 31,7 x 3,8



E62 anti-slip
62,6 x 62,6 x 3,8



S31 anti-slip
31 x 31 x 2,6



S62 anti-slip
62,6 x 31 x 2,6



S13 anti-slip
46 x 46 x 2,6



SE3 anti-slip
31 x 31 x 2,6

DECK LEVEL POOL



647 anti-slip
62,6 x 31 x 2,6



664 anti-slip
62,6 x 62,6 x 2,6



665 anti-slip
62,6 x 62,6 x 2,6

FLEX GRID



245 FL anti-slip
24,5 x 49,5 x 2,2



245 EF anti-slip
26,6 x 26,6 x 2,2

COMPACT GRID



245 CM anti-slip
24,5 x 49,8 x 2,2



245 EC anti-slip
49,8 x 49,8 x 2,2

TERRACE & STAIRS



Z62 liso / smooth
62,6 x 7



L31 anti-slip
31 x 31,7 x 3,8



L62 anti-slip
62,6 x 31,7 x 3,8



DL1 anti-slip
31,7 x 31,7 x 3,8



ZLI liso / smooth
36,5 x 30 x 7



ZLD liso / smooth
36,5 x 30 x 7

WATERWAYS



367 anti-slip
31 x 31 x 2,4



368 anti-slip
31 x 31 x 2,4

121LG anti-slip
12,5 x 49,8 x 2,2



CRA C1
13 x 50 x 7,5

SEMI-CIRCULAR PIECES



114 liso / smooth
4 x 4



116 liso / smooth
4 x 4



115 liso / smooth
4 x 4



117 liso / smooth
4 x 4



183 liso / smooth
31 x 4 x 4



188 liso / smooth
31 x 4 x 4



147 liso / smooth
31 x 4 x 4

Trim piece

Ref Number of the Fixcer joint color recommended



vintage bone



vintage land



vintage brick



vintage bronze



Vintage Bone



vintage bone



vintage land




vintage brick



vintage bronze

vintage



Vintage Land



vintage bone



vintage land



vintage brick



vintage bronze




Vintage Bronze




Vintage Bronze + Mystery Blue Stone

VINTAGE COLORS




vintage bone

8




vintage land

8



vintage brick

9



vintage bronze

9

FORMATS

liso / smooth

UNE ENV 12633	DIN 51130	XP P-05-010
CLASE 1	R 9	PC 6



48,8 x 79,2 x 1
19" x 31" x 3/8"



31 x 62,6 x 0,9
12" x 24" x 3/8"

anti-slip

UNE ENV 12633	DIN 51097	XP P-05-010
CLASE 2+3	CLASE B+C	PN18+PN24
DIN 51130	XP P-05-010	
R 10	PC 10	



48,8 x 79,2 x 1
19" x 31" x 3/8"



31 x 62,6 x 0,9
12" x 24" x 3/8"



31 x 31 x 0,9
12" x 12" x 3/8"

TRADITIONAL POOL

- L31 anti-slip**
31 x 31,7 x 3,8
- L62 anti-slip**
62,6 x 31,7 x 3,8
- LM2 anti-slip**
119 x 31,7 x 3,8
- DL1 anti-slip**
31,7 x 31,7 x 3,8
- E62 anti-slip**
62,6 x 62,6 x 3,8
- S31 anti-slip**
31 x 31 x 2,6
- S62 anti-slip**
62,6 x 31 x 2,6
- SI3 anti-slip**
46 x 46 x 2,6
- SE3 anti-slip**
31 x 31 x 2,6

DECK LEVEL POOL

- 647 anti-slip**
62,6 x 31 x 2,6
- 664 anti-slip**
62,6 x 62,6 x 2,6
- 665 anti-slip**
62,6 x 62,6 x 2,6
- 245 FL anti-slip**
24,5 x 49,5 x 2,2
- 245 EF anti-slip**
26,6 x 26,6 x 2,2
- 245 CM anti-slip**
24,5 x 49,8 x 2,2
- 245 EC anti-slip**
49,8 x 49,8 x 2,2

FLEX GRID

COMPACT GRID

TERRACE & STAIRS

- Z62 liso / smooth**
62,6 x 7
- L31 anti-slip**
31 x 31,7 x 3,8
- L62 anti-slip**
62,6 x 31,7 x 3,8
- LM2 anti-slip**
119 x 31,7 x 3,8
- DL1 anti-slip**
31,7 x 31,7 x 3,8
- ZLI liso / smooth**
36,5 x 30 x 7
- ZLD liso / smooth**
36,5 x 30 x 7

WATERWAYS

- 367 anti-slip**
31 x 31 x 2,4
- 368 anti-slip**
31 x 31 x 2,4
- 121LG anti-slip**
12,5 x 49,8 x 2,2
- CRA C1**
13 x 50 x 7,5

SEMI-CIRCULAR PIECES

- 114 liso / smooth**
4 x 4
- 116 liso / smooth**
4 x 4
- 115 liso / smooth**
4 x 4
- 117 liso / smooth**
4 x 4
- 183 liso / smooth**
31 x 4 x 4
- 188 liso / smooth**
31 x 4 x 4
- 147 liso / smooth**
31 x 4 x 4
Trim piece

Ref Number of the Fixcer joint color recommended



lovely snow



lovely soft



lovely dolce



lovely smoke



lovely vital



lovely intense



lovely dark



Lovely Dolce



lovely snow



lovely soft



lovely dolce



lovely smoke



lovely vital



lovely intese



lovely dark

lovely

COLLECTIONS



Lovely Intese



lovely snow



lovely soft



lovely dolce



lovely smoke




lovely vital



lovely intense



lovely dark



Lovely Dark

LOVELY COLORS



lovely snow

46



lovely soft

46



lovely dolce

47



lovely smoke

9



lovely vital

5



lovely intense

5



lovely dark

5

FORMATS

liso / smooth

UNE ENV 12633	DIN 51130	XP P-05-010
CLASE 1	R 9	PC 6



15,25 x 78,25 x 1
6" x 31" x 3/8"

anti-slip

UNE ENV 12633	DIN 51097	XP P-05-010
CLASE 2+3	CLASE B+C	PN18+PN24
DIN 51130	XP P-05-010	
R 10	PC 10	



15,25 x 78,25 x 1
6" x 31" x 3/8"

TRADITIONAL POOL



L62 anti-slip
62,6 x 31,7 x 3,8



DLI anti-slip
31,7 x 31,7 x 3,8



DLD anti-slip
31,7 x 31,7 x 3,8



E62 anti-slip
62,6 x 62,6 x 3,8



LS7 anti-slip
78,25 x 15,25 x 3,8



S62 anti-slip
62,6 x 31 x 2,6



S13 anti-slip
46 x 46 x 2,6



SE3 anti-slip
31 x 31 x 2,6

DECK LEVEL POOL



647 anti-slip
62,6 x 31 x 2,6



664 anti-slip
62,6 x 62,6 x 2,6



665 anti-slip
62,6 x 62,6 x 2,6

FLEX GRID



245 FL anti-slip
24,5 x 49,5 x 2,2



245 EF anti-slip
26,6 x 26,6 x 2,2

COMPACT GRID



245 CM anti-slip
24,5 x 49,8 x 2,2



245 EC anti-slip
49,8 x 49,8 x 2,2

TERRACE & STAIRS



Z62 liso / smooth
62,6 x 7



L62 anti-slip
62,6 x 31,7 x 3,8



LM2 anti-slip
119 x 31,7 x 3,8



DLI anti-slip
31,7 x 31,7 x 3,8



DLD anti-slip
31,7 x 31,7 x 3,8




ZLI liso / smooth
36,5 x 30 x 7



ZLD liso / smooth
36,5 x 30 x 7

WATERWAYS

121LG anti-slip
12,5 x 49,8 x 2,2



CRA C1
13 x 50 x 7,5

Ref Number of the Fixcer joint color recommended



natural 2.0 palma



natural 2.0 hierro



Natural Palma

NATURAL 2.0 COLORS



natural 2.0 palma

20



natural 2.0 hierro

20

FORMATS

anti-slip

UNE ENV 12633	DIN 51097	XP P-05-010
CLASE 2+3	CLASE B	PN18
DIN 51130	XP P-05-010	
R 10	PC 10	



31 x 31 x 0,9
12" x 12" x 3/8"

TRADITIONAL POOL



DECK LEVEL POOL



FLEX GRID



COMPACT GRID



TERRACE & STAIRS



WATERWAYS



Ref Number of the Fixcer joint color recommended



Lovely Snow + Mosaic MV Marino



Ref. 320
Mosaic Blanco liso / smooth
Mosaic Blanco anti-slip
33 x 33 x 0,5
2,3 x 2,3 /u



Ref. 323
Mosaic Blanco liso / smooth
Mosaic Blanco anti-slip
33 x 33 x 0,5
2,3 x 4,6 /u



Ref. 320
Mosaic Azul liso / smooth
Mosaic Azul anti-slip
33 x 33 x 0,5
2,3 x 2,3 /u




Ref. 323
Mosaic Azul liso / smooth
Mosaic Azul anti-slip
33 x 33 x 0,5
2,3 x 4,6 /u




Ref. 320
Mosaic Marino liso / smooth
Mosaic Marino anti-slip
33 x 33 x 0,5
2,3 x 2,3 /u



Ref. 323
Mosaic Marino liso / smooth
Mosaic Marino anti-slip
33 x 33 x 0,5
2,3 x 4,6 /u



Ref. 320
Mosaic Perla liso / smooth
Mosaic Perla anti-slip
33 x 33 x 0,5
2,3 x 2,3 /u



Ref. 323
Mosaic Perla liso / smooth
Mosaic Perla anti-slip
33 x 33 x 0,5
2,3 x 4,6 /u



Ref. 320
Mosaic Ivory liso / smooth
Mosaic Ivory anti-slip
33 x 33 x 0,5
2,3 x 2,3 /u



Ref. 323
Mosaic Ivory liso / smooth
Mosaic Ivory anti-slip
33 x 33 x 0,5
2,3 x 4,6 /u



Ref. 320
Mosaic Caramel liso / smooth
Mosaic Caramel anti-slip
33 x 33 x 0,5
2,3 x 2,3 /u



Ref. 323
Mosaic Caramel liso / smooth
Mosaic Caramel anti-slip
33 x 33 x 0,5
2,3 x 4,6 /u




Ref. 320
Mosaic Acero liso / smooth
Mosaic Acero anti-slip
33 x 33 x 0,5
2,3 x 2,3 /u



Ref. 323
Mosaic Acero liso / smooth
Mosaic Acero anti-slip
33 x 33 x 0,5
2,3 x 4,6 /u




Ref. 320
Mosaic Plomo liso / smooth
Mosaic Plomo anti-slip
33 x 33 x 0,5
2,3 x 2,3 /u



Ref. 323
Mosaic Plomo liso / smooth
Mosaic Plomo anti-slip
33 x 33 x 0,5
2,3 x 4,6 /u

FORMATS



Ref. 244G1
24,4 x 49,4 x 0,8



Ref. 122G1
11,9 x 24,4 x 0,8



Ref. 052G1
5,6 x 24,4 x 0,8

FINISHED



anti-slip



liso / smooth

aqua

COLLECTIONS

AQUA COLORS



Blanco
Blanco anti-slip



Azul
Azul anti-slip



Marino
Marino anti-slip



Acero
Acero anti-slip



Caramel
Caramel anti-slip



Plomo
Plomo anti-slip



Ultramar
Ultramar anti-slip



Prusia *
Prusia anti-slip *



Esmeralda *
Esmeralda anti-slip *



Habana *
Habana anti-slip *



Lima *
Lima anti-slip *



Oliva *
Oliva anti-slip *



Violet
Violet anti-slip



Amarillo *
Amarillo anti-slip *



Rojo *
Rojo anti-slip *


* On request



Garden Rojo + Aqua Lima

System S9 Prestige

Building an overflow pool with the S9 Prestige turns into a simple, agile and efficient process. The S9 Prestige is a constructive system designed by Rosa Gres to make it easier to incorporate overflow pools into private residencies.



The S9 Prestige consists in a prefabricated crown made of water-proof concrete blocks. Each piece works as a channel and supports the ceramic.

Advantages

MORE AGILITY

The installation process has been perfected to reduce time, labor, economic and energetic resources.

LESS DIFFICULTY

The pieces have been designed to optimize their placement and make the construction process easier.

MORE EFFICIENT FINISH

It improves the upper finish of the Gunité concrete wall, lengthening the life of the edification.

HIGHER PRECISION

Eliminates the deficiencies produced by the formwork.


EXCELLENT FINISH

The final result is a perfect water overflow, more hygiene, less need to use products for the purification and less water loss.

ENHANCES THE ESTHETIC AND WELLBEING

The pool's perimeter is more beautiful, rectilinear and homogenous.

THE NEW S9 INCREASES THE WATER EVACUATION CAPACITY THANKS TO THE INNOVATIVE DESIGN OF THE GRID THAT NOW FOLLOWS THE EDGE'S TILT.



S9 PRESTIGE PIECES

/ BASE



Ref. RS921
59,9 x 19,5 x 21,5

/ OPEN BUILT-IN STAIRS



Ref. RS922
37,2 x 19,5 x 21,5

/ INSIDE CORNER



Ref. RS923
55,4 x 55,4 x 21,5

/ ANCHORAGE PIECE FOR FLOATING LINES



Ref. RS924
59,9 x 19,5 x 21,5

/ OUTSIDE CORNER





Ref. RS928
35,8 x 35,8 x 21,5


/ CLOSED BUILT-IN STAIRS



Ref. RS925
55,4 x 19,5 x 21,5



FIXCER: Special products for bonding and grouting ceramic tiles



/ WATERPROOFED
SWIMMING POOLS

- ① EUROCOLOR FLEX / CERPOXI
- ② TECNOCOL FLEX
- ③ HIDROELASTIC / HIDROFIX
- ④ FIXAGRES FLEX
- ⑤ EUROCOLOR FLEX / CERPOXI



/ SWIMMING POOLS
WITHOUT WATERPROOFING

WATERPROOFED SWIMMING POOLS

SWIMMING POOLS WITHOUT WATERPROOFING



HIDROELASTIC

ELASTIC
WATERPROOF
MORTAR



FIXAGRES FLEX

HIGHLY ADHESIVE
FLEXIBLE
CEMENT-GLUE
FOR STICKING
STONEWARE



HIDROFIX

FLEXIBLE
WATERPROOF
MORTAR



FIXSET FLEX

CEMENTITIOUS
ADHESIVE FOR
BONDING AND
GROUTING



TECNOCOL FLEX

FLEXIBLE
CEMENTITIOUS
ADHESIVE

CEMENTITIOUS MORTAR GROUT



TECNOJUNTA FLEX

CEMENTITIOUS
ADHESIVE FOR
BONDING AND
GROUTING



EUROCOLOR FLEX 0-16

WATER
REPELLENT
MORTAR GROUT



EPOXY ADHESIVE FOR BONDING AND/OR GROUTING

SEALING PVC PIPES AND DILATATION JOINTS



POLIMAX
ADHESIVE FOR BONDING AND GROUTING MOSAIC TILES



IMPRIMACIÓN SELLADOR S10
PORE-FILLING PRIMER



CERPOXI
COLOURED, ANTI-ACID MORTAR




SELLADOR S10
FILLER WITH EXTRAORDINARY ELASTICITY

COLOUR REFERENCES OF MORTAR JOINTS

CERPOXI / POLIMAX

EUROCOLOR FLEX

- 0 BLANCO
- 2 BEIGE OSCURO
- 3 BEIGE NATURAL
- 4 MARRÓN CLARO
- 8 GRIS CLARO
- 9 GRIS CEMENTO
- 10 ANTRACITA
- 11 NEGRO
- 14 VERDE AQUA
- 15 VERDE ÁCIDO
- 16 VERDE GIADA
- 70 AMARILLO OSCURO
- 71 OCRE
- 72 TIERRA
- 73 ROJO OSCURO
- 74 CAMELO
- 75 CHOCOLATE
- 76 VERDE OLIVA
- 77 ESMERALDA
- 78 AZUL CELESTE
- 79 AZUL MARINO
- 82 ELONDO
- 83 MONGOY
- 84 CEREZO CLARO
- 85 ARCE



- 0 BLANCO
- 1 BEIGE
- 4 MARRÓN CLARO
- 5 MARRÓN OSCURO
- 7 TERRACOTA
- 8 GRIS CLARO
- 9 GRIS CEMENTO
- 10 ANTRACITA
- 11 NEGRO
- 12 AZUL PISCINA
- 19 ROBLE
- 20 CEREZO
- 23 VERDE OSCURO
- 31 SIENA
- 32 COBALTO
- 40 BLANCO MIAMI
- 45 MARRÓN MEDIO
- 46 PIEDRA
- 47 VISÓN
- 48 MARRÓN ARENA
- 66 RUBÍ





Mistry White

Technical characteristics

TESTING STANDAR

RÉGLEMENTATION EN 14411 ISO 13006

Rosa Gres

	ISO 10545-2	Dimensions and surface quality	Required	Guaranteed
	ISO 10545-3	Water absorption	Grupo B1a E ≤ 0,5 %	E ≤ 0,5 %
	ISO 10545-4	Breaking strength	≥ 1300 N	≥ 1300 N
		Modulus of rupture	≥ 35 N/mm ²	≥ 40 N/mm ²
	ISO 10545-9	Thermal shock resistance	Required	Guaranteed
	ISO 10545-12	Frost resistance	Required	Guaranteed
	ISO 10545-13	Chemical resistance ⁽¹⁾	Min. Clase B	GA GLA GHA
	ISO 10545-14	Stain resistance	Min. Clase 3	Guaranteed

SAFETY: NON-SLIP COEFFICIENTS

SMOOTH FINISH

ANTI-SLIP FINISH

	DIN 51130 XP- P-05-010	Norm for shoe traffic areas	R9 / PC6	mistery / lovely / vintage / tao / bohème	R10	serena / bohème / garden / mistery / lovely tao / vintage / natural 2.0
	DIN 51097 XP- P-05-010	Norm for barefoot traffic areas			Clase C	serena / bohème / garden / mistery / lovely tao / vintage
					Clase B	natural 2.0
	UNE ENV 12633	Pendulum Test	Clase 1: 15 < Rd ≤ 35	mistery / lovely / vintage / tao / bohème	Clase 3 Rd > 45	serena / bohème / garden / mistery / lovely tao / vintage / natural 2.0
	ANSI A137.1	Coefficient of friction			> 0,42	serena / bohème / garden

(1) Except hydrofluoric acid and its components
Trim pieces: **grupo A1a**



Rosa Gres, S.L.U

Oficina Central - Headquarters - Siège Social
Ctra. Sant Cugat km. 3
08290 Cerdanyola, Barcelona, SPAIN
Tel. +34 93 586 30 60
Fax +34 93 586 30 61

Fábrica - Factory - Usine
Pol. Ind. Mas Vell
Ramón Sugrañes, 1
43144 Vallmoll, Tarragona, SPAIN

Ventas: +34 93 586 37 68 / +34 93 586 37 69
Export Sales: +34 93 586 37 02

info@rosagres.com
www.rosagres.com

